



SAFETY DATA SHEET

1/3

Supreme Hard Wax Oil

Revision No. 5

Print Date 24 June 2005

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

Product name	Supreme Hard Wax Oil
Company	Fiddes & Son Ltd Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX
Telephone	+44 (0)29 2034 0323
Fax	+44 (0)29 2034 3235

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	Conc.	CAS	EINECS
White spirit	30-40% R10 N;R51/53 Xn;R65 Xi;R66	64742-82-1	

3. HAZARDS IDENTIFICATION

Main hazards	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.
Other hazards	In use, may form flammable/explosive vapour-air mixture.

4. FIRST AID MEASURES

Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Inhalation	Move to fresh air. Consult a physician after significant exposure.
Ingestion	Do not induce vomiting without medical advice. Drink plenty of water. Obtain medical attention.
General advice	If you feel unwell, seek medical advice (show the label where possible). Keep warm and in a quiet place. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Extinguishing media which must not be used for safety reasons	high volume water jet
Specific hazards	Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases
Special protective equipment for firefighters	In the event of fire, wear self contained breathing apparatus.

Supreme Hard Wax Oil

Revision No. 5

Print Date 24 June 2005

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Remove all sources of ignition.
Environmental precautions	Do not allow material to contaminate ground water system. Prevent product from entering drains.
Methods for cleaning up	After cleaning, flush away traces with water. Soak up with inert absorbent material and dispose of as hazardous waste.

7. HANDLING AND STORAGE

Handling	Wear personal protective equipment. Do not breathe vapours or spray mist. Use only in well-ventilated areas. Vapours are heavier than air and may spread along floors. Avoid contact with skin and eyes.
Storage	Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure	Ensure adequate ventilation, especially in confined areas.
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment. In the case of hazardous fumes, wear self contained breathing apparatus.
Hand protection	PVC or other plastic material gloves
Eye protection	Tightly fitting safety goggles Avoid contact with eyes.
Skin and body protection	Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. rubber or plastic apron rubber or plastic boots.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	liquid
Water solubility	slightly soluble soluble in alcohol & ether

10. STABILITY AND REACTIVITY

Stability	Stable at normal conditions
Conditions to avoid	Heat, flames and sparks.
Materials to avoid	oxidizing agents acids
Hazardous decomposition products	carbon oxides nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Acute toxicity	Chronic exposure may cause nausea and vomiting, higher exposure causes unconsciousness. Components of the product may be absorbed into the body through the skin.
Primary irritation	Contact with eyes or skin causes irritation.
Repeated or prolonged exposure	Prolonged exposure causes local irritation of skin and mucous membranes, especially to the eyes. Prolonged skin contact may defat the skin and produce dermatitis.

12. ECOLOGICAL INFORMATION

Ecotoxicity	No data is available on the product itself.
--------------------	---

13. DISPOSAL CONSIDERATIONS

General Information	Can be incinerated, when in compliance with local regulations. Dispose of in accordance with local regulations
Contaminated packaging	Fully drained containers which are drop- and scrape-free can be treated as industrial waste, and can possibly be recycled.

Supreme Hard Wax Oil

Revision No. 5

Print Date 24 June 2005

14. TRANSPORT INFORMATION

ADR/RID

UN-No 1263

Class 3

Packing group III

Hazard ID 33

Proper shipping name PAINT RELATED MATERIAL

IMO

UN-No 1263

Class 3

EmS F-E S-E

Packing group III

Marine pollutant .

IATA-DGR

UN-No 1263

Class 3

packaging 310

Packing group III

Subrisks -

15. REGULATORY INFORMATION

Labelling

The product is classified and labelled in accordance with EC directives or respective national laws.

Symbol(s):

Xn - Harmful; N - Dangerous for the environment



R -phrase(s)

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

S -phrase(s)

S 1/2 - Keep locked up and out of the reach of children.

S13 - Keep away from food, drink and animal feedingstuffs.

S29 - Do not empty into drains.

S46 - If swallowed, seek medical advice immediately and show this container or label.

S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

Text of R phrases

R10 - Flammable.

mentioned in Section 2

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication.

This data sheet contains changes from the previous version in section(s) 14.

ADR/RID - 14

imo - 14

iata-dgr - .?