# SAFETY DATA SHEET AXLCR200 ANTIQUAX LEATHER CREAM

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

**PRODUCT NAME:** AXLCR200 ANTIQUAX LEATHER CREAM

PART No.: XLCR200

**SUPPLIER:** James Briggs Ltd

Salmon Fields Industrial Estate

Royton, Oldham England OL2 6HZ Tel: 0161 627 0101 Fax: 0161 627 0971

**EMERGENCY TELEPHONES:** (+0044) (0) 161 620 5400

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME CONTENT

CAS No.: EINECS Nr.: CLASSIFICATION

WHITE SPIRIT

64742-82-1 265-185-4 Xn ,N R-10, 51/53, 65, 66

The Full Text for all R-Phrases are Displayed in Section 16

## 3. HAZARDS IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

10-30 %

#### 4. FIRST AID MEASURES

**INHALATION:** Move the exposed person to fresh air at once. Get medical attention if any discomfort

continues.

INGESTION: NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth

thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

**SKIN:** Remove affected person from source of contamination. Get medical attention if

irritation persists after washing.

**EYES:** Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash

eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

## 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** This material is not flammable. Use extinguishing media appropriate for surrounding

## 6. ACCIDENTAL RELEASE MEASURES

SPILL CLEANUP METHODS: Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place

into containers. Flush with plenty of water to clean spillage area. Do not contaminate

water sources or sewer.

#### 7. HANDLING AND STORAGE

**USAGE PRECAUTIONS:** Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS:** Keep in cool, dry, ventilated storage and closed containers. Keep in original container.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**INGREDIENT COMMENTS:** OES = Occupational Exposure Standard. MEL = Maximum Exposure Limit.

PROTECTIVE EQUIPMENT:





**VENTILATION:** Provide adequate general and local exhaust ventilation.

**PROTECTIVE GLOVES:** Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION:** If risk of splashing, wear safety goggles or face shield.

**OTHER PROTECTION:** Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENIC WORK PRACTICES: DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. No eating or drinking while working

with this material.

Beige.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid.

COLOUR:

**ODOUR/TASTE:** Characteristic.

**SOLUBILITY DESCRIPTION:** Insoluble in water.

FLAMMABILITY LIMIT - LOWER(%): 0.6
FLAMMABILITY LIMIT - UPPER(%): 8.0

## 10. STABILITY AND REACTIVITY

STABILITY: Normally stable.

**CONDITIONS TO AVOID:** Avoid excessive heat for prolonged periods of time.

HAZARDOUS DECOMP. PRODUCTS: Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

## 11. TOXICOLOGICAL INFORMATION

**INHALATION:** May cause irritation to the respiratory system.

INGESTION: May cause discomfort if swallowed.

SKIN: May cause skin irritation/eczema

**EYES:** Irritating to eyes.

**ROUTE OF ENTRY:** Inhalation. Ingestion. Skin and/or eye contact.

## 12. ECOLOGICAL INFORMATION

**ECOLOGICAL INFORMATION:** Dangerous for the environment if discharged into watercourses.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHODS:** Dispose of in accordance with Local Authority requirements.

## 14. TRANSPORT INFORMATION

ADR CLASS: Not classified for transportation.

HAZARD No. (ADR): 90 Environmentally hazardous substance; miscellaneous dangerous substances.

MARINE POLLUTANT: No.

AIR TRANSPORT NOTES: Not Classified.

## 15. REGULATORY INFORMATION

RISK PHRASES: R-52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

SAFETY PHRASES: S-2 Keep out of the reach of children.

S-46 If swallowed, seek medical advice immediately and show this container or label.

S-56 Dispose of this material and its container to hazardous or special waste

collection point.

**STATUTORY INSTRUMENTS:** The Control of Substances Hazardous to Health Regulations 2002. The Chemicals

(Hazard Information and Packaging for Supply) Regulations 2002.

**APPROVED CODE OF PRACTICE:** Classification and Labelling of Substances and Preparations Dangerous for Supply.

Safety Data Sheets for Substances and Preparations L62.

GUIDANCE NOTES: Occupational Exposure Limits EH40. Introduction to Local Exhaust Ventilation

HS(G)37. CHIP for everyone HSG(108).

# **16. OTHER INFORMATION**

**PRINTING DATE:** 2003-07-17

R-PHRASES (Full Text): R-10 Flammable. R-51/53 Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment. R-65 Harmful: may cause lung damage if swallowed. R-66 Repeated exposure may cause skin dryness or cracking.