PEEK METAL POLISH PASTE

Page 1 Issued: 23/02/2006 Revision No: 2

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: PEEK METAL POLISH PASTE

Use / description of product: METAL POLISH

Company name: Tri-Peek International PO BOX 113 Saffron Walden Essex

> CB10 2XA United Kingdom Tel: 01799 524098

Fax: 01799 524669

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT

10-30%

EINECS: 265-149-8 CAS: 64742-47-8

[Xn] R65; [N] R51/53

- ISO ALKANES C9-C12 1-10%
- OLEIC ACID 1-10% EINECS: 204-007-1 CAS: 112-80-1
- AMMONIA SOLUTION <1%</li>
   EINECS: 215-647-6 CAS: 1336-21-6
   [C] R34; [N] R50
- INERT FILLER 10-30%

# 3. HAZARDS IDENTIFICATION

Main hazards: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

PEEK METAL POLISH PASTE

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# 4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Carbon dioxide. Alcohol or polymer foam.

Protection of fire-fighters: Wear protective clothing to prevent contact with skin and eyes.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

**Clean-up procedures:** Absorb into dry earth or sand.

#### 7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area.
Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.
Suitable packaging: Must only be kept in original packaging.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Nitrile gloves.

**Eye protection:** Safety glasses.

Skin protection: Protective clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

State:	Paste
Colour:	Blue
Odour:	Characteristic odour
Evaporation rate:	Slow
Oxidising:	Non-oxidising (by EC criteria)
Solubility in water:	Insoluble
Relative density:	1.03
pH:	10.0

PEEK METAL POLISH PASTE

## **10. STABILITY AND REACTIVITY**

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

#### **11. TOXICOLOGICAL INFORMATION**

Hazardous ingredients:	AMMONIA SOLUTION100%
	IVN MUS LD50 91 mg/kg
	ORL RAT LD50 350 mg/kg
	SCU MUS LDLO 160 mg/kg

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

#### **12. ECOLOGICAL INFORMATION**

Mobility: Non-volatile.

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Other adverse effects: Harmful to aquatic organisms.

#### **13. DISPOSAL CONSIDERATIONS**

Disposal operations:D1 Tipping above or underground (e.g. landfill, etc.).Disposal of packaging:Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.NB:The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

#### **14. TRANSPORT INFORMATION**

### ADR / RID

UN no: -

Shipping name: "NOT SUBJECT TO ADR"

#### IMDG / IMO

UN no: -

# IATA / ICAO

UN no: -

#### **15. REGULATORY INFORMATION**

Hazard symbols: No significant hazard.

Risk phrases: R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Safety phrases: S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

PEEK METAL POLISH PASTE

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label S61: Avoid release to the environment. Refer to special instructions / safety data sheets. Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all

applicable national, international and local regulations or provisions.

## **16. OTHER INFORMATION**

advice.

where possible).

Other information:	This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.
Risk phrases used in s.2:	R65: Harmful: may cause lung damage if swallowed.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
	R34: Causes burns.
	R50: Very toxic to aquatic organisms.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall
	be used only as a guide. This company shall not be held liable for any damage resulting from
	handling or from contact with the above product.

Page 4